

	Type	Hits	Search Text	DBs
1	BRS	8235	(airbag or restraint or restraining) with (deploy or deployed or deploying or deployment or activate or activated or activation or activated)	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	BRS	57071	window with (detection or detecting or detected or detector or sensor or sensing or sensed or sense)	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	BRS	79	(strobe or warning) near5 (light or lamp) with (deploy or deployed or deployment or	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	BRS	3	((airbag or restraint or restraining) with (deploy or deployed or deploying or deployment or activate or activated or activation or activated)) and (window with (detection or detecting or detected or detector or sensor or sensing or sensed or sense)) and ((strobe or warning) near5 (light or lamp) with (deploy or deployed or deployment or	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	BRS	851	window with (detection or detecting or detected or detector or sensor or sensing or sensed or sense) with (damage or damaged or broke or break or	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	BRS	0	(window with (detection or detecting or detected or detector or sensor or sensing or sensed or sense) with (damage or damaged or broke or break or broken)) and ((strobe or warning) near5 (light or lamp) with (deploy or deployed or deployment or	USPAT; US-PGPUB; EPO; JPO; DERWENT

BEST AVAILABLE COPY

	Time Stamp	Comments	Error Definition	Errors
1	2004/05/02 13:56			0
2	2004/05/02 14:46			0
3	2004/05/02 15:23			0
4	2004/05/02 13:59			0
5	2004/05/02 14:47			0
6	2004/05/02 14:47			0

BEST AVAILABLE COPY

	Type	Hits	Search Text	DBs
7	BRS	24	((airbag or restraint or restraining) with (deploy or deployed or deploying or deployment or activate or activated or activation or activated)) and ((strobe or warning) near5 (light or lamp) with (deploy or deployed or deployment or deploying))	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	BRS	231	window with (detection or detecting or detected or detector or sensor or sensing or sensed or sense) with (damage or damaged or broke or break or broken) and vehicle	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	BRS	79	(strobe or strobed or warning) near5 (light or lamp) with (deploy or deployed or deployment or deploying)	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	BRS	0	(window with (detection or detecting or detected or detector or sensor or sensing or sensed or sense) with (damage or damaged or broke or break or broken) and vehicle) and ((strobe or strobed or warning) near5 (light or lamp) with (deploy or deployed or deployment or	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	BRS	61	(strobe or strobed or warning) near5 (light or lamp) with (deploy or deployed or deployment or deploying) and vehicle	USPAT; US-PGPUB; EPO; JPO; DERWENT

BEST AVAILABLE COPY

	Time Stamp	Comments	Error Definition	Errors
7	2004/05/02 14:47			0
8	2004/05/02 14:47			0
9	2004/05/02 15:24			0
10	2004/05/02 15:24			0
11	2004/05/02 15:26			0

BEST AVAILABLE COPY

	Type	Hits	Search Text	DBs
12	BRS	0	(window with (detection or detecting or detected or detector or sensor or sensing or sensed or sense) with (damage or damaged or broke or break or broken) and vehicle) and ((strobe or strobed or warning) near5 (light or lamp) with (deploy or deployed or deployment or deploying or deployable) and	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	BRS	64	(strobe or strobed or warning) near5 (light or lamp) with (deploy or deployed or deployment or deploying or deployable) and vehicle	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	IS&R	1170	((340/425.5) or (340/426.1) or (340/426.19) or (340/426.22) or (340/426.23) or (340/426.25) or (340/426.27)).CCLS.	USPAT; US-PGPUB

BEST AVAILABLE COPY

	Time Stamp	Comments	Error Definition	Errors
12	2004/05/02 15:26			0
13	2004/05/02 17:08			0
14	2004/05/02 17:10			0

BEST AVAILABLE COPY

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	1170	((340/425.5) or (340/426.1) or (340/426.19) or (340/426.22) or (340/426.23) or (340/426.25) or (340/426.27)).CCLS.	USP AT; US-P GPU B	2004/05/0 2 20:21	
2	BRS	L2	406	1 and code	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/05/0 2 20:22	
3	BRS	L3	165	1 and code with (specific or emergency or predetermined or preset)	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/05/0 2 20:23	
4	BRS	L4	121	1 and (keypad or kebyoard)	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/05/0 2 20:23	

BEST AVAILABLE COPY

	Error Definition	Er ro rs
1		0
2		0
3		0
4		0

BEST AVAILABLE COPY

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
5	BRS	L5	108	1 and (keypad or keyboard) and (cpu or processor or microprocessor or control adj unit or controller)	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/05/02 20:24	
6	BRS	L6	62	1 and (keypad or keyboard) same(cpu or processor or microprocessor or control adj unit or controller)	USP AT; US-P GPU B; EPO; JPO; DER WEN T	2004/05/02 20:24	

BEST AVAILABLE COPY

	Error Definition	Er ro rs
5		0
6		0

BEST AVAILABLE COPY